

▶ QUICK CORN REFERENCE

| GENERAL CHARACTERISTICS | | | | | | | | |
|-------------------------|------------|-------------------|--------------|------------|----------|-------------------|---------------------|--------------------|
| BRAND | TECHNOLOGY | RELATIVE MATURITY | PLANT HEIGHT | EAR HEIGHT | EAR TYPE | DROUGHT TOLERANCE | GREENSNAP TOLERANCE | SPEED OF EMERGENCE |
| 1285 | GCL | 94 | 8 | 7 | Fixed | 6 | 8 | 7 |
| 2240 | GT3 | 98 | 7 | M | Inter | 8 | 8 | 8 |
| 2795 | GT3 | 100 | 8 | M-H | Inter | 8 | 8 | 9 |
| 2544 | GT3 | 100 | 7 | M-H | Inter | 7 | 8 | 9 |
| 3309 | GT3 | 103 | 7 | M | Fixed | 8 | 8 | 9 |
| 4125 | GT3 | 105 | 9 | H | Inter | 8 | 8 | 9 |
| 4592 | VT3 | 105 | 8 | M-H | Semi | 8 | 7 | 7 |
| 5594 | GT3 | 107 | 8 | M | Inter | 8 | 8 | 9 |
| 5627 | VT3 | 107 | 7 | M | Fixed | 8 | 8 | 9 |
| 6435 | GT3 | 108 | 8 | M | Fixed | 7 | 8 | 7 |
| 6347 | VT3 | 110 | 8 | M | Semi | 8 | 6 | 7 |
| 7383 | GT3 | 111 | 8 | M | Inter | 9 | 8 | 9 |
| 2450 | GT | 98 | 8 | 8 | Inter | 8 | 8 | 9 |
| 2389 | GT | 100 | 7 | M-H | Inter | 7 | 8 | 9 |
| 3310 | GT | 102 | 7 | 7 | Fixed | 8 | 8 | 9 |
| 3118 | GT | 102 | 8 | M-H | Inter | 8 | 8 | 7 |
| 3928 | GT | 104 | 9 | H | Inter | 8 | 8 | 9 |
| 5124 | GT | 107 | 9 | H | Flex | 8 | 8 | 9 |
| 4913 | LL | 106 | 9 | H | Inter | 8 | 7 | 8 |
| 2884 | CV | 100 | 7 | M-H | Inter | 7 | 8 | 9 |
| 3639 | CV | 103 | 7 | M-H | Inter | 8 | 8 | 7 |
| 4370 | CV | 105 | 9 | H | Inter | 8 | 8 | 9 |
| 5874 | CV | 107 | 8 | M-H | Inter | 9 | 7 | 8 |

| PLANTING INFORMATION | | | | | | | |
|----------------------|--------------|---------------------|-----------|-----------------|------------------|--------------|---------------------------|
| HIGH ORGANIC SOILS | TIMBER SOILS | CLAY & VARIED SOILS | WET SOILS | SAND (DRY LAND) | SAND (IRRIGATED) | CORN ON CORN | POPULATION RECOMMENDATION |
| 10 | 8 | 8 | 7 | 7 | 9 | Suitable | Group A |
| 10 | 7 | 7 | 7 | 6 | 9 | Good | Group B |
| 9 | 8 | 7 | 6 | 8 | 9 | Suitable | Group B |
| 9 | 9 | 9 | 8 | 9 | 9 | Good | Group B |
| 10 | 10 | 9 | 9 | 8 | 9 | Good | Group A |
| 10 | 9 | 9 | 8 | 8 | 9 | Excellent | Group B |
| 10 | 10 | 9 | 8 | 8 | 9 | Good | Group B |
| 10 | 9 | 9 | 7 | 5 | 7 | Excellent | Group B |
| 8 | 8 | 8 | 8 | 8 | 8 | Excellent | Group A |
| 10 | 8 | 8 | 6 | 7 | 8 | Suitable | Group A |
| 9 | 8 | 8 | 7 | 6 | 8 | Suitable | Group B |
| 9 | 8 | 9 | 8 | 8 | 9 | Good | Group B |
| 9 | 8 | 7 | 6 | 8 | 9 | Suitable | Group B |
| 9 | 9 | 9 | 8 | 9 | 9 | Good | Group B |
| 10 | 10 | 9 | 9 | 8 | 9 | Good | Group A |
| 10 | 8 | 8 | 7 | 6 | 7 | Not Rec | Group B |
| 10 | 9 | 9 | 8 | 8 | 9 | Excellent | Group B |
| 10 | 9 | 9 | 8 | 8 | 9 | Excellent | Group C |
| 10 | 9 | 9 | 8 | 8 | 9 | Excellent | Group B |
| 9 | 9 | 9 | 8 | 9 | 9 | Good | Group B |
| 10 | 9 | 9 | 8 | 8 | 8 | Excellent | Group B |
| 10 | 9 | 9 | 8 | 8 | 9 | Excellent | Group B |
| 10 | 9 | 9 | 9 | 8 | 9 | Excellent | Group B |



STRENGTHS AND WEAKNESSES

| GROWTH REGULATOR SENSITIVITY | GENERAL STAY GREEN | NORTHERN LEAF BLIGHT TOLERANCE | SOUTHERN LEAF BLIGHT TOLERANCE | ANTHRACNOSE TOLERANCE | GRAY LEAF SPOT TOLERANCE | DIPLODIA EAR ROT TOLERANCE |
|------------------------------|--------------------|--------------------------------|--------------------------------|-----------------------|--------------------------|----------------------------|
| NR | 8 | 7 | 7 | NA | 7 | NA |
| NR | 9 | 8 | 5 | 7 | 6 | 7 |
| NR | 8 | 8 | 6 | 7 | 7 | 8 |
| NR | 9 | 8 | 7 | NR | 7 | NR |
| NR | 7 | 7 | NR | 6 | 4 | 6 |
| NR | 8 | 7 | 7 | 6 | 7 | 6 |
| NR | 7 | 8 | NR | NR | 5 | 5 |
| NR | 9 | 5 | 5 | 7 | 8 | 8 |
| 8 | 9 | 8 | 7 | 7 | 7 | 8 |
| NR | 7 | 8 | 6 | 6 | 6 | 5 |
| 5 | 7 | 7 | 7 | 7 | 7 | 7 |
| 5 | 10 | 6 | 7 | 7 | 8 | 7 |
| NR | 8 | 8 | 6 | 7 | 7 | 8 |
| NR | 9 | 8 | 7 | NR | 7 | NR |
| NR | 7 | 7 | NR | 6 | 4 | 6 |
| NR | 7 | 7 | 7 | NR | 7 | NR |
| NR | 8 | 7 | 7 | 6 | 7 | 6 |
| NR | 8 | 7 | 7 | 6 | 8 | 6 |
| NR | 9 | 8 | 7 | 7 | 7 | 6 |
| NR | 9 | 8 | 7 | NR | 7 | NR |
| NR | 8 | 8 | 7 | 7 | 6 | 6 |
| NR | 8 | 7 | 7 | 6 | 7 | 6 |
| 4 | 8 | 7 | 7 | 7 | 7 | 6 |

HARVEST INFORMATION

| GRAIN QUALITY* | TEST WEIGHT | GROWING DEGREE DAYS TO SILK | GROWING DEGREE DAYS TO 30% | GROWING DEGREE DAYS TO 20% | DRY DOWN RATE | EAR RETENTION | HIGH TONNAGE SILAGE | FORAGE QUALITY POTENTIAL | HARVEST RESIDUE | BRAND |
|----------------|-------------|-----------------------------|----------------------------|----------------------------|---------------|---------------|---------------------|--------------------------|-----------------|-------|
| 7 | 7 | 1128 | 2180 | NA | 10 | 8 | - | - | - | 1285 |
| 8 | 7 | 1200 | 2068 | NA | 7 | 8 | 7 | - | - | 2240 |
| 8 | 7 | 1220 | 2300 | NA | 8 | 8 | - | - | - | 2795 |
| 7 | 7 | 1185 | 2300 | NA | 7 | 8 | - | - | - | 2544 |
| 6 | 7 | 1300 | 2450 | NA | 7 | 9 | 5 | 9 | 7 | 3309 |
| 7 | 7 | 1280 | 2480 | NA | 8 | 9 | 9 | 9 | 9 | 4125 |
| 8 | 9 | NA | NA | NA | 6 | 9 | 7 | 9 | 7 | 4592 |
| 8 | 7 | NA | NA | NA | 7 | 8 | 7 | | 7 | 5594 |
| 8 | 8 | NA | NA | NA | 8 | 7 | 6 | 8 | 7 | 5627 |
| 7 | 6 | 1320 | 2520 | NA | 7 | 8 | | | 7 | 6435 |
| 8 HFC | 8 | 1330 | 2720 | 3170 | 9 | 8 | 8 | 7 | 7 | 6347 |
| 8 Hard | 7 | 1290 | 2690 | 3145 | 7 | 9 | 6 | 6 | 8 | 7383 |
| 8 | 7 | 1220 | 2300 | NA | 8 | 8 | - | - | - | 2450 |
| 7 | 7 | 1185 | 2300 | NA | 7 | 8 | - | - | - | 2389 |
| 6 | 7 | 1300 | 2450 | NA | 7 | 9 | 5 | 9 | 7 | 3310 |
| 8 | 7 | NA | NA | NA | 8 | 8 | - | - | - | 3118 |
| 7 | 7 | 1280 | 2480 | NA | 8 | 9 | 9 | 9 | 9 | 3928 |
| 7 | 7 | 1320 | 2530 | NA | 8 | 9 | 9 | 9 | 9 | 5124 |
| 8 | 6 | 1226 | 2590 | NA | 7 | 9 | 10 | - | 8 | 4913 |
| 7 | 7 | 1185 | 2300 | NA | 7 | 8 | - | - | - | 2884 |
| 8 | 7 | 1289 | 2138 | NA | 7 | 8 | 7 | - | - | 3639 |
| 7 | 7 | 1280 | 2480 | NA | 8 | 9 | 9 | 9 | 9 | 4370 |
| VV Hard | 10 | 1340 | 2710 | 3150 | 9 | 9 | - | - | 10 | 5874 |

